





Part No.	PIN	PE Bag	Carton	
		PCS/PE	CARTON Bag	CARTON PCS
0800H-02X-XX	02	1000	500	500,000
0800H-03E-XX	03	1000	450	450,000
0800H-04E-XX	04	1000	400	400,000
0800H-05E-XX	05	1000	350	350,000
0800H-06E-XX	06	1000	300	300,000
0800H-07E-XX	07	1000	250	250,000
0800H-08E-XX	08	1000	200	200,000
0800H-09E-XX	09	1000	150	150,000
0800H-10E-XX	10	1000	100	100,000

						一般公差 .X ±0.30 .XX ±0.20 .XXX ±0.10 X° ±0.2° 视 角	GYA Connectors 东莞市国亚电子有限公司 Dong Guan Guo Ya Connectors co., ltd.				PART NO. : 0800H-XXX-XX				
							APPROVAL	CHECK	DRAWN	DATE	TITLE: 0.80mm Housing Packing				
DATE	REV	ECN NO.	DESCRIPTION	MODIFY	APPROVAL	视 角	Yangzhengguo	Yangzhengyi	Lvtiansheng	2016/08/26	UNIT	SCALE	SHEET	REV	NUMBER
1			2		3		4		5		6		7		8

RoHS

包装图

Adhesive tape



Eco-Label



Note注解:

1.Quantity 数量:

30K PCS/REEL 一卷30K/PCS

11REEL/BOX 一箱11卷

330K PCS/BOX 一箱330K/PCS

2.Each reel and outer box must be labeled and Eco-Label Respectively labeled

每盘和外箱都必须有标签及环保标签分别标示

3.Terminal winding direction as shown


端子缠绕方向如左图所示

4.There shall be no dirt such as deformation phenomenon, Mantissa box fillers must be used

每箱不可有脏污, 变形现象, 尾数箱必须用填充物


Tape over the terminal

纸带在端子下方




卷装方式






Package way



Adhesive tape胶带

Label unified on the box top right corner
外箱标签位于右上角

						一般公差	GYA Connectors 东莞市国亚电子有限公司 Dong Guan Guo Ya Connectors co., Ltd.				PART NO. : 0800T-PXXX			
						.X ±0.30					TITLE: 0.80mm Housing Packing			
						.XX ±0.20					UNIT	SCALE	SHEET	REV
						.XXX ±0.10					mm	1:1	1/1	B
						X° ±0.2°					DATE			NUMBER
DATE	REV	ECN NO.	DESCRIPTION	MODIFY	APPROVAL	视图	APPROVAL	CHECK	DRAWN	DATE				
1							Yangzhengguo	Yangzhengyi	Lvtiansheng	2016/08/26				A-022



Note:


1. Carrier Camber Is Within 1mm In 100mm ; 带长100mm 内容许弯曲度1mm
2. 10 Sprocket Hole Pitch Cumulative Tolerance±0.2MM ; 圆孔十个孔距离累计允许公差为±0.2mm
3. Material for PS Black ; 材质为PS材质 Color颜色: Black 黑色
5. bracer保护带: Color颜色:Natural透明色;厚度0.40mm 最小
6. Thinkess=0.30±0.05 ; 材料厚度为0.30±0.05mm
7. Cover Tape 上带: 冷封

ZD0800WVS-XXR 0800WVS-XX-XXXXXR	Pin No.	W	S	F	T	G	Carrier Tape(Color) 下带(颜色)	B0	REEL PCS	CARTON R	CARTON PCS
	0800WVS-02	12.0	/	5.50	16.50	12.50	黑色	4.20	2500	13	32.5K
	0800WVS-03							5.00			
	0800WVS-04							5.80			
	0800WVS-05	16.0	/	7.50	20.50	16.50		6.60	2500	11	27.5K
	0800WVS-06							7.40			
	0800WVS-07							8.20			
	0800WVS-08	24.0	/	11.50	28.50	24.50		9.00	2500	8	20K
	0800WVS-09							9.80			
	0800WVS-10							10.60			
	0800WVS-11							11.40			
	0800WVS-12							12.20			
	0800WVS-13							13.00			
	0800WVS-14							13.80			
	0800WVS-15							14.60			



DATE	REV	ECN NO.	DESCRIPTION	MODIFY	APPROVAL	一般公差	GYA Connectors	东莞市国亚电子有限公司 Dong Guan Guo Ya Connectors co., Ltd.	PART NO.: PPN:ZD0800WVS-XXR CPN:0800WVS-XXXX-XXXXXR	TITLE: 0.80mm SMT 180° Package	UNIT	SCALE	SHEET	REV	NUMBER
						.X ±0.30									
						.XX ±0.20									
						.XXX ±0.10									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
2016/08/26						Yangzhengguo	Yangzhengyi	Lvtiansheng	2016/08/26		mm	1:1	1/1	A0	A-000

RoHS

包装图



COVER TAPE PEEL STRENGTH:20~120g
剥离力量20~120g
速度 PEEL SPEED:300mm/minute




Lable 标签

Single hole: None Hole Side

单孔: 贴无链孔侧

Double hole: Elliptical Hole Side

双孔: 贴椭圆孔侧



Note:

1. Carrier Camber Is Within 1mm In 100mm ; 带长100mm 内容许弯曲度1mm
2. 10 Sprocket Hole Pitch Cumulative Tolerance±0.2MM ; 圆孔十个孔距离累计允许公差为±0.2mm
3. Material for PS Black ; 材质为PS材质 Color颜色: Natural透明色
5. bracer保护带: Color颜色:Natural透明色;厚度0.40mm最小
6. Thickness=0.30±0.05 ; 材料厚度为0.30±0.05mm
7. Cover Tape上带: 冷封

ZD0800WVS-XX 0800WVS-XX-XXXXXX	Pin No.	W	S	F	T	G	Carrier Tape(Color) 下带(颜色)	B0	REEL PCS	CARTON R	CARTON PCS
	0800WVS-02	12.0	/	5.50	16.50	12.50	黑色	4.20	2000	13	26K
	0800WVS-03							5.00			
	0800WVS-04	16.0	/	7.50	20.50	16.50		5.80	2000	11	22K
	0800WVS-05							6.60			
	0800WVS-06							7.40			
	0800WVS-07							8.20			
	0800WVS-08	24.0	/	11.50	28.50	24.50		9.00	2000	8	16K
	0800WVS-09							9.80			
	0800WVS-10							10.60			
	0800WVS-11							11.40			
	0800WVS-12							12.20			
	0800WVS-13							13.00			
	0800WVS-14							13.80			
	0800WVS-15	14.60									

一般公差

.X ±0.30

.XX ±0.20

.XXX ±0.10

X° ±0.2°

视图

GYA
Connectors

东莞市国亚电子有限公司

Dong Guan Guo Ya Connectors co., Ltd.

PART NO.: PPN:ZD0800WVS-XX
CPN:0800WVS-XXXX-XXXXX

TITLE: 0.80mm SMT 180° Package

UNIT SCALE SHEET REV NUMBER

mm 1:1 1/1 A0 A-106

DATE	REV	ECN NO.	DESCRIPTION	MODIFY	APPROVAL
------	-----	---------	-------------	--------	----------

APPROVAL

CHECK

DRAWN

DATE

Yangzhengguo




Yangzhengyi

Lvtiansheng



2016/08/26

RoHS


包装图



COVER TAPE PEEL STRENGTH:20~120g
上带剥离力量:20~120g
速度 PEEL SPEED:300mm/minute



Label 标签
Single hole: None Hole Side
单孔: 贴无链孔侧
Double hole: Elliptical Hole Side
双孔: 贴椭圆孔侧



Note:

- Carrier Camber Is Within 1mm In 100mm ; 带长100mm 内容许弯曲度1mm
- 10 Sprocket Hole Pitch Cumulative Tolerance±0.2MM ; 圆孔十个孔距离累计允许公差为±0.2mm
- Carrier tape material for PS ; 下带材质为PS材质; Color颜色:Natural透明色
- bracer保护带: Color颜色:Natural透明色, 厚度0.40mm最小
- Thickness=0.30±0.05 ; 材料厚度为0.30±0.05mm
- Carton material 纸箱材质:K=K; Carton Thickness 纸箱厚度: 6~7mm

ZD0800WRS - XXHF	0800WRS - XX - XXXX	Part No.	W	S	F	T (MAX)	G(MAX)	REEL/PCS	CARTON/R	CARTON/PCS
		ZD0800WRS-02HF	16	/	7.50	20.50	16.40	3500	11R	38.5K
		ZD0800WRS-03HF								
		ZD0800WRS-04HF								
		ZD0800WRS-05HF								
		ZD0800WRS-06HF								
		ZD0800WRS-07HF								
		ZD0800WRS-08HF								
		ZD0800WRS-09HF								
		ZD0800WRS-10HF								
		ZD0800WRS-11HF								
		ZD0800WRS-12HF	24	/	11.50	28.50	24.40	3500	8R	28K
		ZD0800WRS-13HF								
		ZD0800WRS-14HF								
		ZD0800WRS-15HF								
		ZD0800WRS-16HF								
		ZD0800WRS-17HF								
		ZD0800WRS-18HF								
		ZD0800WRS-19HF	32	28.4	14.20	36.50	32.40	3500	6R	21K
		ZD0800WRS-20HF								

一般公差

.X ±0.30

.XX ±0.20

.XXX ±0.10

X° ±0.2°

视图

YANGZHENG

GYA
Connectors

东莞市国亚电子有限公司

Dong Guan Guo Ya Connectors co., Ltd.

APPROVAL

CHECK

DRAWN

DATE

Yangzhengguo

Yangzhengyi

LvTiansheng

2016/08/26

PART NO. : PPN: 0800WRS-XX-XXXX
CTN: ZD0800WRS-XXHFTITLE: 0.80mm Connectors
SMT 90° Packing

UNIT	SCALE	SHEET	REV	NUMBER
mm	1:1	1/1	A0	A-106

DATE	REV	ECN NO.	DESCRIPTION	MODIFY	APPROVAL
------	-----	---------	-------------	--------	----------